

Deforestation in Peru and Strategic Plan for its Reduce Amazonian Forests

Vicenta Irene Tafur Anzualdo¹, Doris Esenarro², Rogelia Guillen³, Samuel Reyna⁴, Elizabeth Segovia⁵, Ruben Martinez⁶

^{1,3,4}Univesity National University Federico Villarreal UNFV, Lima, Perú.

^{2,5,6}Specialized Institute for Ecosystems and Natural Resources Research (INERN)

¹vtafur@unfv.edu.pe, ²desenarro@unfv.edu.pe, ³rguillen@unfv.edu.pe, ⁴sreynam@unfv.edu.pe,

⁵rsegovia@unfv.edu.pe, ⁶rmartinezc@unfv.edu.pe,

Abstract

The present research aims to evaluate deforestation and strategies to reduce the deterioration of Amazonian forests. Peru has a large area of forest cover, by the year 2020, during the pandemic, the Peruvian Amazon suffered a significant loss of forest cover due to deforestation, which aggravates floods, droughts, and landslides, products of climate change, the expansion of agriculture, and livestock, mining, road construction, and population growth, among others, are activities that promote deforestation. The technique used is the bibliographic review of different documents produced in public and private institutions related to the subject. Also, the Joint Declaration of Intent (DCI) is a scheme of economic incentives to combat deforestation and forest degradation, which has the cooperation of Peru, Norway, and Germany, which was raised in three phases: Phase I: Preparation; Phase II: Transformation and Phase III: Payment for results; in October 2018 the implementation plan of Phase II was completed. The agreement has been extended until 2025. indicate that ease of use, perceived usefulness and trust have predominant influence on consumer usage of e-banking services through mobile phones with perceived usefulness being the most significant of the three. The researcher recommends that banking institutions should be susceptible to requisite steps to extensively impart the consumers regarding mobile banking and other electronic banking services in order to assuage the resistance customers normally have towards services they are not cognizance of.

Keywords: Deforestation, Land use change, Amazon, Joint Declaration of Intent.

Introduction

Peru ranks tenth in the world in terms of forest area, with the jungle region accounting for 90% of this forest area. It is estimated that about 330,000 inhabitants of the country depend directly on forests for their livelihoods through their multiple products and ecosystem services. [1]

Traditionally, forests have been taken as a source of income from timber production, in addition to the use of non-timber products, biodiversity, ecotourism, and environmental services, whose economic potential is growing for Peru, to such an extent that the contribution of the forestry sector to the Gross Domestic Product (GDP), which for many years has remained at 1%, could increase to 8% if more attention were paid to the exploitation of non-timber products such as fruits, stems, and medicinal plants, in addition to encouraging ecotourism. This is without considering the biodiversity present in natural protected areas that, extend over 20 million hectares of forests and other ecosystems and contribute more than US\$1 billion annually due to non-timber forest products, scenic beauties, etc. This could point to the forestry sector as one of the most significant potentials for economic development. However, the Peruvian Ministry of Environment warns that by 2020 at the height of the pandemic, the Peruvian Amazon will lose more than 150 000 ha of forest due to the massive return of migrants to their community. [2]

In tropical countries, including our own, the most important cause of forest cover reduction is the expansion of agriculture and livestock. This deforestation due to land-use change is complemented by the development of extractive industries, road construction, and the growth and creation of towns.

Faced with this scenario, Peru has joined efforts with Germany and Norway through the Joint Declaration of

Intent (JIU) to combat deforestation and forest degradation to reduce greenhouse gas emissions. [20]

This article presents the link between deforestation and human, economic and environmental components and the actions being carried out to combat deforestation and forest degradation in our country.

Materials and methods

The analysis of the loss of vegetation cover in the Peruvian Amazon forests and the fight against forest degradation is fundamental, so we must determine the loss of forest in the coming years if we continue with the same problems that cause the loss of the Amazon forests. For this, we use a simple linear regression equation to project future Amazon forest loss.

$$\hat{Y} = A + \beta (X) \quad (1)$$

Where: \hat{y} dependent variable, A ordinate of origin, β slope of the line and X independent variable.

The study area is the humid forests of the Peruvian Amazon, in Loreto, Ucayali, San Martín, Huanuco, Madre de Dios, Junín, Cuzco, Puno, Amazonas, and Pasco areas of significant deforestation and soil degradation. [3]

The statistical data comes from institutional platforms and reports from secondary sources such as the National Institute of Statistics and Informatics (INEI), the Ministry of Agrarian Development and Irrigation (MIDAGRI) and the Ministry of Environment (MINAM), indexed magazines, books, and information published by private institutions linked to forestry, agriculture and the environment. The bibliographic sources for the capture of data on deforestation in the Amazonian forests during the study period were the institutions mentioned above. [21]

Deforestation rate for the calculation of the annual deforestation rate was obtained from historical data that allowed the analysis in the period 2001-2019, with the following equation:

$$D = ((DF - DI) / DI) 100 \quad (2)$$

Where: D is the deforestation rate; DF is the area deforested in the final year (2019), and DI is the area deforested in the initial year (2001). [4]

Results

Deforestation In The Amazon Forests

The deforested areas of Amazonian forests in Peru, period 2001-2019, amount to 2 433 314 hectares; the annual average is 128 069 hectares.

Amazon forests face intense pressures with high trends, as evidenced in Table and Figure 1; the highest levels of deforestation (62.36 %) were carried out in the last ten years. As shown in the table above, the surfaces and percentages in ascending and continuous growth of deforestation. The leading causes of deforestation are agriculture, cattle ranching, the opening of road infrastructure, access to waterways, and small timber extractors. [5]




Figure 1. Deforested areas in the period 2001 – 2019

The direct and indirect causes of the deforested areas of the Amazon forests are in the expansion of small, medium, and large-scale agriculture 51.6%, legal mining 5.8%, development of communication infrastructure and extractive industries 0.3%, small and large-scale cattle ranching 39.9% coca cultivation 2.3%. [6]

If we continue with the activities described in the previous paragraph, the loss of forests will increase, causing more significant socio-environmental problems and biodiversity loss. However, with the statistical data for the period 2007-2019, the deforested areas for 2020, 2021, and 2022 can be determined with a simple linear regression equation, this, we have previously considered meeting two of the conditions of being numerical and having a normal distribution of the data set:

$$\hat{Y} = A + \beta (X)$$

Area (Y) = Constant (A) + Slope of the line (β) Independent variable (X)

$$Y = 118\,062,962 + 3\,808,071 X$$

$$Y_{20} = 118\,062,962 + 3\,808,071 (14) = 171\,376$$

$$Y_{21} = 118\,062,962 + 3\,808,071 (15) = 175\,184$$

$$Y_{22} = 118\,062,962 + 3\,808,071 (16) = 178\,992$$

According to the results obtained in 2020, 2021, and 2022, approximately 171,376, 175,184, and 178,992 hectares would be deforested, respectively, degraded areas used for agriculture cattle ranching. However, this reality can be reduced simply by complying with the Joint Declaration of Intent (JIU), the cooperation agreement between the governments of Peru, Norway, and Germany that has strategic objectives to contribute to the reduction of greenhouse gas emissions produced by deforestation and forest degradation, sustainable agricultural and forestry development and environmentally sound mining. Agreement that seeks to strengthen the implementation of the United Nations Framework Convention on Climate Change and the national strategy on forests and climate change to reduce forest loss in the Amazon and contribute to sustainable development in Peru. [7]

The deforested areas of Tropical Rainforests, by the department in 2019, amount to 148 426 hectares, equivalent to 200 thousand soccer fields. Ucayali, Madre de Dios, Huánuco, and Loreto, concentrate

approximately 67% of deforested areas. However, the departments of Ayacucho and Cajamarca lost only 1.18 % and 0.82 % of their tropical rainforest of the total deforested regions of the same year. [19]

Table 1. Deforested areas by department 2019

Departments	Forest	2018	%	2019	%	To 2019	%
Amazonas	2831731	7453	4.82	5805	3.91	94084	3.87
Ayacucho	209922	1744	1.13	2166	1.46	17517	0.72
Cajamarca	346762	1276	0.82	600	0.40	19275	0.79
Cusco	3063940	9643	6.23	7103	4.79	90543	3.72
Huancavelica	17299	18	0.01	92	0.06	1105	0.05
Huánuco	1545972	16560	10.70	14956	10.08	333880	13.72
Junín	1850889	8497	5.49	13960	9.41	165201	6.79
La Libertad	68228	142	0.09	37	0.03	1112	0.05
Loreto	35047942	26203	16.93	23140	15.59	453420	18.63
Madre de Dios	7905744	23492	15.18	21378	14.40	231111	9.50
Pasco	1388278	5610	3.62	6035	4.07	115344	4.74
Piura	41492	60	0.04	26	0.02	3316	0.14
Puno	1423073	6701	4.33	3716	2.50	37010	1.52
San Martín	3344540	21376	13.81	11034	7.43	447546	18.39
Ucayali	9336773	25991	16.79	38377	25.86	422851	17.38
Total	68422585	154766	100	148426	100	2433315	100




Figure 2. Deforested areas by department 2019

One of the causes of deforestation and loss of Amazonian forests is agriculture and cattle ranching to produce bread crops, rice, corn, cocoa, papaya, coffee, and other products to serve the domestic and foreign markets. In 2017, a total of 16 220 hectares were deforested for the activities above. In the Interoceánica area, 11 115 hectares have been deforested for gold mining and agricultural activity; likewise,

3 220 hectares were deforested for agricultural activity in the Iberia sector. In the last months of 2017, in the border of the departments of San Martín and Loreto, 750 hectares have been deforested for oil palm production of a large-scale agricultural project. Along the Bagua-Saramiriza road 1 135 hectares have been deforested for agriculture and cattle ranching in the Amazonas region. [7]

Impacts Of Deforestation

Deforestation brings the invasion and illegal appropriation of land by farmers, miners, or loggers, displacement of indigenous populations, conflicts linked to access to forest resources, and loss of knowledge and cultural values. In addition, it strengthens climate change affecting surrounding populations and society through increased floods, droughts, and huaycos. [8]

The location of deforestation depends on geographical, political, and economic variables. In Madre de Dios, the construction of the Interoceanic Highway has allowed the migration of poor people to environmentally fragile and isolated areas. Currently, there is evidence of the disproportionate growth of illegal gold mining that devastates forests and contaminates water with mercury and other toxics. [9]

Illegal logging, which requires low investments for its implementation, impacts the wellbeing of the populations due to the selective loss of the most valuable species, greater inequity in income distribution, and, mainly, by developing an informal parallel economy that discourages private investment in long-term forest management, generating economic mechanisms of corruption. Furthermore, in coca-growing areas of the country, which occupy 43,900 ha with this crop, drug trafficking also does its thing by dumping chemicals used for coca leaf processing. [10]

Deforestation involves the permanent loss of forest cover and its transformation into another land use. It affects the quantity and quality of water and its courses that become more prone to cause flooding due to land degradation. By reducing the potential of the soil, the provision of food, other goods, and services is aggravated, deepening poverty and extreme poverty, marginalization, migration, and inequity, and the loss of biodiversity. In addition, this change in land use generates more significant greenhouse gas emissions due to the loss of an important carbon sink through deforestation, thus contributing to the worsening of the impacts of climate change and increasing the vulnerability of populations to extreme meteorological phenomena. [11]

Infer that deforestation of tropical forests is one of the most important sources of anthropogenic greenhouse gas emissions and carbon dioxide release, primarily driven by the expansion of the agricultural, forestry and, the growing demand for farm products abroad, and the population explosion in all countries. In 2000-2016 GHG emissions from the Land Use, Land Use Change and Forestry (LULUCF) sector averaged 88.8 MTCO_{2e}/year. In 2016 the Sector emissions were 112.88 MTCO_{2e} of GHG emissions. Of this, 89% is due to the change of forest use to another activity, i.e., deforestation in the mentioned period has been the leading cause of emissions. [12]

Strategic Plan to Combat Deforestation

The Joint Declaration of Intent (JIU), signed by Germany, Norway, and Peru, is a scheme of financial incentives on the progress and fulfillment of deliverables or goals divided into three Phases: I) preparation (2015-2017), II) transformation (2017-2020) and III) payment for results (2016-2020). We are currently in Phase II of the ICD, whose strategies to reduce deforestation of Amazonian forests are: avoid through the cessation of permits, the change of land use from forest to agricultural services; evaluate the impact of timber harvesting, mining, agriculture, and infrastructure activities due to deforestation and forest degradation; reduce the remaining area of uncategorized forests by 50%; increase the titling of native

communities by 5 million hectares; involve at least 2 million hectares in the payment for conservation results of native communities; as well as implement projects of the Forestry Investment Program. However, due to the global Covid-19 pandemic, applications have been delayed, redirecting the limited public budget to address the health crisis and justifying the extension of the DCI. [13]

On the last day of May, the commitment established in the DCI through an ADDENDUM; this agreement has been extended, renewed, and reinforced with a new partner, the Government of the United Kingdom of Great Britain and the United States as an observer, to reduce and end the loss of forests. [14]

In addition, MINAM's Institutional Policy Framework (2019) confirms the reduction of deforestation and forest degradation using the policy instruments of the National Strategy on Forests and Climate Change (ENBCC), proposing as a vision "for the year 2030 the reduction of GHG emissions associated with the Land Use sector, Land Use Change and Forestry (USCUSS) and the vulnerability of the forest landscape and the population that depends on them, ensuring respect for the rights of citizens, especially indigenous peoples and rural populations linked to forests, with a territorial, intercultural and gender approach, in a context of adequate governance, productivity, competitiveness and valuation of forest ecosystems". The NBSAP establishes strategic actions such as sustainable agriculture and livestock, increasing the value of forests, reducing illegal/informal activities, reducing negative impacts of economic activities, zoning and forest management/granting of rights, monitoring results and effects of climate change, the resilience of forest ecosystems and reducing local vulnerability to achieve the objective of reducing greenhouse gas (GHG) emissions in the USCUSS sector. [15]

Discussion

Deforestation is the permanent loss of Amazonian forest cover, replacing forested soil areas for agricultural and livestock use. The effects on soil quality cause land degradation, as it is not suitable for these activities, decreasing soil quality, lowering the productivity of food, other goods, and services, exacerbating poverty, and the loss of biodiversity. In addition, this change in land use generates more significant greenhouse gas emissions due to the loss of an important carbon sink through deforestation and soil degradation, thus worsening the impacts of climate change and increasing the vulnerability of populations to extreme meteorological phenomena.

Conclusions

Deforestation causes loss of forest areas, invasions and illegal land appropriation by farmers, cattle ranchers, immigrants, miners, loggers, displacement of indigenous populations, social conflicts, and loss of knowledge and cultural values. [16]

GHG emissions from the Land Use, Land Use Change, and Forestry sector averaged 88.8 MTCO_{2e}/year.

The conservation of forests and the reduction of deforestation and degradation of these require coordinated work efforts in a multisectoral manner, in that sense, the activities that are being developed in the public institutions involved in the DCI must be fulfilled with the milestones and goals to be achieved by 2020 in favor of the Amazon to complete the longed-for sustainable development of our country. [1, 17]

The DCI has been extended, renewed, and strengthened until 2025 with a new partner, the Government of the United Kingdom of Great Britain, to reduce and end the loss of Amazon forests and promote sustainable development. [4,18]

References

1. Amaya P, Esenarro D, Rodriguez C, Vega V and López J. Economic valuation of environmental attributes of the Yanachaga-Chemillén National Park via contingent valuation and choice experiment, *World Journal of Engineering* ISSN: 1708-5284. 2020
2. Smith, Julián y Schwartz, Jill. La deforestación en el Perú: Cómo las comunidades indígenas, agencias gubernamentales, organizaciones sin fines de lucro y negocios trabajan juntos para detener la tala de los bosques. WWF. 2015. Recuperado de https://d2ouvy59p0dg6k.cloudfront.net/downloads/la_deforestacion_en_el_peru.pdf
3. Galarza, Elsa y La Serna, Karlos. Las concesiones forestales en el Perú: ¿cómo hacerlas sostenibles? Lima, Universidad del Pacífico. 2016. Recuperado de <http://infobosques.com/portal/wp-content/uploads/2016/03/per1.pdf>
4. UICN. Bosques y economía. Integrar los valores de los bosques en las políticas económicas, las finanzas y los mercados. 2018. Recuperado de <https://www.iucn.org/es/regiones/am%C3%A9rica-del-sur/nuestro-trabajo/bosques/bosques-y-econom%C3%ADa>
5. MINAM. El Perú, cuarto país con más bosques tropicales. 2021. Recuperado de <http://www.minam.gob.pe/programa-bosques/el-peru-cuarto-pais-con-mas-bosques-tropicales/>
6. Vásquez Jara Roció Patricia. Mejora en la gestión de infraestructura para evitar deforestación en la Amazonía. DAR. 2019. Recuperado de http://www.dar.org.pe/archivos/publicacion/Medida_de_Mitigacion_NDC.pdf
7. Ministerio de Agricultura y Riego – SERFOR Y MINAM - BOSQUES. Cobertura y Deforestación en los Bosques Húmedos Amazónicos. 2017. Recuperado de https://cdn.www.gob.pe/uploads/document/file/263082/Cobertura_y_Deforestacion_en_los_Bosques_Humedos_Amazonicos_al_2017.pdf
8. SERFOR. Interpretación de la Dinámica de la Deforestación en el Perú y Lecciones Aprendidas para reducirlas, documento de trabajo. 2015. Recuperado de <https://www.serfor.gob.pe/wp-content/uploads/2016/03/Interpretacion-de-la-dinamica-de-la-deforestacion-en-el-Peru-y-lecciones-aprendidas-para-reducirla-1.pdf>
9. MINAM. El Perú y el Cambio Climático. Tercera Comunicación Nacional del Perú. 2016. Recuperado de: file:///D:/Downloads/tercera_comunicacion_nacional_sobre_cambio_climatico_resumenes_de_logros.pdf
10. Sierra Praeli Yvette. Deforestación en el Perú equivale a 200 mil campos de fútbol en el 2017. 2018. Recuperado de <https://es.mongabay.com/2018/02/deforestacion-en-el-peru-2017/>
11. MINAM. Declaración Conjunta de Intención. 2014. Recuperado de <http://www.bosques.gob.pe/declaracion-conjunta-de-intencion>,
12. BOSQUES. Estrategia Nacional Sobre bosques y cambio climático. 2016. Recuperado de http://www.bosques.gob.pe/archivo/ff3f54 ESTRATEGIACAMBIOCLIMATICO2016_ok.pdf
13. Pendrill, F., Persson, U. M., Godar, J., Kastner, T., Moran, D., Schmidt, S., & Wood, R. Agricultural and forestry trade drives large share of tropical deforestation emissions. *Global Environmental Change*, 56, 1–10. 2019. doi: 10.1016/j.gloenvcha.2019.03.002 url to share this paper: [sci-hub.tw/10.1016/j.gloenvcha.2019.03.002](https://doi.org/10.1016/j.gloenvcha.2019.03.002)

14. Vásquez Jara, Rocío Patricia. En la revista Derecho Ambiente y Recursos naturales. 2019. Mejora en la gestión de infraestructura para evitar la deforestación en la Amazonía. 2019 https://www.dar.org.pe/archivos/publicacion/Medida_de_Mitigacion_NDC.pdf
15. INEI. Anuario de Estadísticas ambientales. 2020. https://www.inei.gob.pe/media/MenuRecursivo/publicaciones_digitales/Est/Lib1760/libro.pdf
16. MINAM. Reporte de cumplimiento de la declaración conjunta de intención sobre REDD+ suscrita entre los gobiernos de Perú, Noruega y Alemania al 2019. 2019. https://www.minam.gob.pe/cambioclimatico/wp-content/uploads/sites/127/2019/10/190709-Reporte-DCI-2018_VF.pdf
17. MINAM. El director de biodiversidad biológica del Ministerio del Ambiente, José Álvarez. 2021. <https://www.inforegion.pe/281544/alertan-que-la-deforestacion-de-bosques-peruanos-aumentaria-en-el-2021/>
18. MINAM. Adenda N° 1 de la Declaración Conjunta de Intensión (DCI), entre el Gobierno de la República del Perú, el Gobierno de la República Federal de Alemania, el Gobierno del Reyno de Noruega, y el Gobierno del Reyno Unido de Gran Bretaña e Irlanda del Norte. 2021.
19. Bodo, Tombari & Gimah, Batombari & Seomoni, Kemetonye. Deforestation: Human Causes, Consequences and Possible Solution. *Journal of Geographical Research*. 4. 2021. 10.30564/jgr.v4i2.3059.
20. Leite-Filho, A.T., Soares-Filho, B.S., Davis, J.L. et al. Deforestation reduces rainfall and agricultural revenues in the Brazilian Amazon. *Nat Commun* 12, 2591 (2021). <https://doi.org/10.1038/s41467-021-22840-7>
21. Vargas Y; Puerta R; Frits Palomino, Esenarro D , Rodriguez C, and Pandey B. Low planting densities for early maturation of *Mauritia flexuosa* L.f. for the sustainable management of plantations in Alto Huallaga, Peru. 2020. *World Journal of Engineering* ISSN: 1708-5284